## **H5E-DV PC 200**

28.4" x 15.5" x 7.0" (72.1cm x 39.4cm x 17.8cm)



- Dispenses hot water in three portion sizes
- Front of machine volume programming
- Precise temperature (60°F-210°F) (15.5°C-98.9°C) ensures consistent, high quality results; adjustable in 1° increments
- Three programmable volume settings and one push and hold continuous dispense button
- All stainless design
- Locate hot water at preparation site to increase speed, safety and efficiency of kitchen staff
- Dual voltage adaptable (Can operate at 120V/15 amp or 120/208-240V/20 amp)

#### Agency:





### **Specifications**

Product #: 39100.0000 Dispense: Portion Control
Water Access: Plumbed Dispense: Push Button

Finish: Stainless Faucet: Upper

Temp. Setting: 200°F (93.333°C)

#### Additional Features

#### **Electrical & Capacity**

			,						
Volts	Amps	Watts	Cord Attached	Plug Type	8oz (236mL) cups/hr 35°F (1.67°C)*		Phase	# Wires plus Ground	Hertz
120/208-240	16.9	4050	No	-	59	192	1	3	60
120/208	15	3054	-	N/A	117	320	-	-	-
120/240	17	4050	-	N/A	155	427	-	-	-

<sup>\*</sup>Temperature of water entering the system

#### Plumbing Requirements

	Transmig Requirement							
PSI		kPa	Fitting Supplied	Water Flow Required (GPM)				
	20-90	138-621	1/4" Male Flare Fitting	-				

#### **CAD Drawings**


2D	Revit	KLC
•		


Created on:


05/02/2019



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.








9.1in [231mm]

Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	7.0 in.	28.4 in.	15.5 in.	20.5 in.	32.5 in.	10.8 in.	32.450 lbs	4.164 ft³
Metric	17.8 cm	72.1 cm	39.4 cm	52.1 cm	82.6 cm	27.4 cm	14.719 kgs	0.118 m³



# Related Products & Accessories: H5E-DV PC 200(39100.0000)













# Serving & Holding Options: H5E-DV PC 200(39100.0000)

\*Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.\*

